

Data Surge Protector SPD THUNDERBOLT Outdoor Gigabit Ethernet/PoE++ Shielded RJ45 SASD, GDT CE Compliant



1101-1067TB GbE/PoE Cascaded Design

Features

- Models for All Common Ethernet/PoE Protocols
- · Ground Screws for Dual Lug
- IP67 When Provided Strain Reliefs Installed

Applications

- Gigabit Ethernet/PoE++ Networks
- Telecommunications Base Stations
- WISP/ISP
- · IT & Data Centers

- Two IP67 Strain Reliefs Included
- Bulkhead Mount
- Pole Mount Kit 9100-0521
- · Point-to-Point Links
- · Control Lines and Sense Loops
- · Oil & Gas

Description

Data surge protector (also known as SPD or lightning protector) 1101-1067 from Transtector is an outdoor style SPD that utilizes state of the art SASD/GDT technology to protect critical equipment in Gigabit Ethernet/PoE++ protocol data networks while remaining transparent to data throughput. This surge protector provides effective protection against electrical transient surges that are generated both by external lightning events and by internal switching events and supports long-term system reliability by absorbing high amounts of transient energy while maintaining a very low clamping voltage. Transtector Data Signal surge protectors are available in stock with same day shipping.

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Connectors		Shielded RJ45		
Compatible Cables	Cat5/5e UTP/STP, Cat6/6A STP			
Data Protocols	Gigabit Ethernet/PoE++			
Data Rate			1,000	Mb/s
Series Impedance (Data)				
			1	Ohms
Capacitance (Common)			15	pF
Power over Ethernet Protocols		PoE		
Vdc Rating (Data)		48	60	Vdc
PoE Power			100	W
PoE Current Per Pin			750	mA

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Data Surge Protector SPD THUNDERBOLT Outdoor Gigabit Ethernet/PoE++ Shielded RJ45 SASD, GDT CE Compliant 1101-1067



Data Surge Protector SPD THUNDERBOLT Outdoor Gigabit Ethernet/PoE++ Shielded RJ45 SASD, GDT CE Compliant



1101-1067TB GbE/PoE Cascaded Design

Surge Protection Specification

Description	Minimum	Typical	Maximum	Units
Surge Protection Technology		SASD, GDT		
Protected Pins	[1,2], [3,6], [4,5], [7,8]			
Protection Modes	L-G			
10/1000µs Surge Current				
L-G			100	А
8/20µs Surge Current				
L-G			5	kA
Response Time			5	ns

Mechanical Specifications

Size	
11 1 1 4	

Height	1.41 in	[35.81 mm]
Width	1.41 in	[35.81 mm]
Depth	3.97 in	[100.84 mm]
Weight	0.45 lbs	[204.12 g]

Environmental Specifications

Operating Temperature	-40 to +85 deg C
Storage Temperature	-40 to +85 deg C

Environmental Protection Rating	IP67
Mount Type	Bulkhead
Installation Hardware	Strain Relief, Shroud Gasket, M29 Nut, M29 Flat Washer, Bulkhead
	Gasket, Ground Screw
Grounding	10-32 x 1/4 PH Screw

Compliance Certifications

CE Compliant	Yes
Certifications	60950-1

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Data Surge Protector SPD THUNDERBOLT Outdoor Gigabit Ethernet/PoE++ Shielded RJ45 SASD, GDT CE Compliant 1101-1067



Data Surge Protector SPD THUNDERBOLT Outdoor Gigabit Ethernet/PoE++ Shielded RJ45 SASD, GDT CE Compliant



1101-1067TB GbE/PoE Cascaded Design

Transtector Systems specializes in protection of highly sensitive, low voltage equipment through its patented, non-degrading silicon diode technology and custom filters. Our power quality expertise translates into a diverse product offering including AC, DC, and signal applications as well as integrated cabinets, power distribution panels and EMP hardened devices.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Data Surge Protector SPD THUNDERBOLT Outdoor Gigabit Ethernet/PoE++ Shielded RJ45 SASD, GDT CE Compliant 1101-1067

URL: https://www.transtector.com/data-surge-protector-spd-thunderbolt-outdoor-gigabit-1101-1067-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Transfector reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Transfector does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Transfector does not assume any liability arising out of the use of any part or documentation.

1101-1067 CAD Drawing

