

OP8 Rack Mount PDU AC Indoor 3RU 120 Vac Single-Phase 20A Hardwired Inlet 8x NEMA 5-20 Outlets, UL 60950-1 SASD



1101-356-1 OP8 20B

Features

- 100% SASD Protection
- · 8 Protected Outlets
- Suppression Status LEDs
- · Rack Mount (with Adapter Bracket)

Applications

- Power Distribution
- Industrial Automation
- · Telecommunications Base Stations

- Mount Type 19" Rack Mount
- Surge Protection Status LEDs: GRN=Good, Dark=Replace
- · First Responder Sites
- · Emergency Management Systems
- Load Expansion

Description

Rack mount power distribution unit (also known as PDU) 1101-356-1 from Transtector is an AC 3RU PDU that accepts a 120 Vac single-phase electrical service and distributes power to individual loads via 8x 20A NEMA 5-20 outlets. This rack mount unit equipped with state-of-the-art SASD surge protection that provides lightning protection for downstream equipment to support long-term system reliability. Transtector rack mount PDUs are available in stock with same day shipping.

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Service Voltage		120		Vac
Frequency Range	50		60	Hz
Maximum Continuous Operating	y Voltage (MCOV)			
L - N			140	Vac
Current Rating			20	А
Number of Outlets NEMA 5-20 (Outlets	8		

Surge Protection Specification

Description	Minimum	Typical	Maximum	Units
Surge Protection Technology		SASD		
8/20µs Surge Current			0.7	kA

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: OP8 Rack Mount PDU AC Indoor 3RU 120 Vac Single-Phase 20A Hardwired Inlet 8x NEMA 5-20 Outlets, UL 60950-1 SASD 1101-356-1



OP8 Rack Mount PDU AC Indoor 3RU 120 Vac Single-Phase 20A Hardwired Inlet 8x NEMA 5-20 Outlets, UL 60950-1 SASD

1101-356-1 OP8

Nominal Discharge Current Rating (In)	0.5	kA
Vpl 8/20µs L-G	300 @ 500A	Vpk

Mechanical Specifications

Size

 Length
 4.75 in
 [120.65 mm]

 Width
 18.5 in
 [469.9 mm]

 Height
 2.18 in
 [55.37 mm]

 Weight
 6.5 lbs
 [2.95 kg]

 Enclosure Material and Plating
 Steel, Powder Coated Black

Monitoring and Control

Alarm Relays 0

Installation

Mount Type 19" Rack Mount

Environmental Specifications

Temperature Continuous -40 to +80 deg C
Temperature Momentary -40 to +80 deg C

Compliance Certifications

UL Compliant UL 60950-1

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: OP8 Rack Mount PDU AC Indoor 3RU 120 Vac Single-Phase 20A Hardwired Inlet 8x NEMA 5-20 Outlets, UL 60950-1 SASD 1101-356-1



OP8 Rack Mount PDU AC Indoor 3RU 120 Vac Single-Phase 20A Hardwired Inlet 8x NEMA 5-20 Outlets, UL 60950-1 SASD



1101-356-1 OP8

Transtector Systems specializes in protection of highly sensitive, low voltage equipment through its patented, non-degrading silicon diode technology and custom filters. Our power quality expertise translates into a diverse product offering including AC, DC, and signal applications as well as integrated cabinets, power distribution panels and EMP hardened devices.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: OP8 Rack Mount PDU AC Indoor 3RU 120 Vac Single-Phase 20A Hardwired Inlet 8x NEMA 5-20 Outlets, UL 60950-1 SASD 1101-356-1

URL: https://www.transtector.com/op8-rack-mount-pdu-ac-indoor-3ru-1101-356-1-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Transfector reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Transfector does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Transfector does not assume any liability arising out of the use of any part or documentation.

1101-356-1 CAD Drawing

