

OP8 Rack Mount PDU AC Indoor 3RU 230 Vac Single-Phase 15A Hardwired Inlet 8x IEC 60320 (C13) SASD



1101-700
OP8 20B2

Features

- 100% SASD Protection
- 8 Protected Outlets
- Suppression Status LEDs
- Rack Mount (with Adapter Bracket)
- Mount Type 19" Rack Mount

Applications

- Power Distribution
- Industrial Automation
- Telecommunications Base Stations
- First Responder Sites
- Emergency Management Systems
- Load Expansion

Description

Rack mount power distribution unit (also known as PDU) 1101-700 from Transtector is an AC 3RU PDU that accepts a 230 Vac single-phase electrical service and distributes power to individual loads via 8x 15A IEC 60320 (C13) outlets. This rack mount unit equipped with state-of-the-art SASD surge protection that provides lightning protection for downstream equipment to support long-term system reliability. Transtector rack mount PDUs are available in stock with same day shipping.

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Service Voltage		230		Vac
Current Rating			15	A
Number of Outlets IEC 60320 (C13)		8		

Surge Protection Specification

Description	Minimum	Typical	Maximum	Units
Surge Protection Technology		SASD		
10/1000µs Surge Current			0.04	kA
Vpl 8/20µs L-G			640 @ 600A	Vpk

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications:
[OP8 Rack Mount PDU AC Indoor 3RU 230 Vac Single-Phase 15A Hardwired Inlet 8x IEC 60320 \(C13\) SASD 1101-700](#)

OP8 Rack Mount PDU AC Indoor 3RU 230 Vac Single-Phase 15A Hardwired Inlet 8x IEC 60320 (C13) SASD

1101-700
OP8

Mechanical Specifications

Size

Length	4.75 in	[120.65 mm]
Width	18.5 in	[469.9 mm]
Height	2.06 in	[52.32 mm]
Weight	5.6 lbs	[2.54 kg]
Enclosure Material and Plating	Steel, Powder Coated Black	

Monitoring and Control

Alarm Relays	0
--------------	---

Installation

Mount Type	19" Rack Mount
------------	----------------

Environmental Specifications

Temperature Continuous	-40 to +80 deg C
Temperature Momentary	-40 to +80 deg C

Transtector Systems specializes in protection of highly sensitive, low voltage equipment through its patented, non-degrading silicon diode technology and custom filters. Our power quality expertise translates into a diverse product offering including AC, DC, and signal applications as well as integrated cabinets, power distribution panels and EMP hardened devices.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [OP8 Rack Mount PDU AC Indoor 3RU 230 Vac Single-Phase 15A Hardwired Inlet 8x IEC 60320 \(C13\) SASD 1101-700](https://www.transtector.com/op8-rack-mount-pdu-ac-indoor-3ru-1101-700-p.aspx)

URL: <https://www.transtector.com/op8-rack-mount-pdu-ac-indoor-3ru-1101-700-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Transtector reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Transtector does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Transtector does not assume any liability arising out of the use of any part or documentation.

1101-700 CAD Drawing

