

AC Surge Protector SPD APEX Module 120 Vac



2250-461-2
 SISM 200V

Features

- Replacement Suppression PCB Assembly for OP8 120Vac

Applications

- Electrical Panelboards
- Industrial Automation
- Communications Base Stations
- IT & Data Centers
- Switchgear
- Motor Control Centers
- Automatic Transfer Switches
- Wastewater Treatment
- Oil & Gas
- LED Lighting
- Schools
- Hospitals

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Service Voltages		120		Vac

Mechanical Specifications

Size			
Height	0.125 in	[3.18 mm]	
Width	2 in	[50.8 mm]	
Depth	0.69 in	[17.53 mm]	
Weight	0.0045 lbs	[2.04 g]	
Housing Material and Plating		Fiberglass	

Environmental Specifications

Temperature Range (Operational)	-30 to +50 deg C
Humidity	90% non-condensing

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications:
[AC Surge Protector SPD APEX Module 120 Vac 2250-461-2](#)

AC Surge Protector SPD APEX Module 120 Vac



2250-461-2
SISM 200V

Transtector Systems specializes in protection of highly sensitive, low voltage equipment through its patented, non-degrading silicon diode technology and custom filters. Our power quality expertise translates into a diverse product offering including AC, DC, and signal applications as well as integrated cabinets, power distribution panels and EMP hardened devices.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [AC Surge Protector SPD APEX Module 120 Vac 2250-461-2](#)

URL: <https://www.transtector.com/ac-surge-protector-spd-apex-module-120-2250-461-2-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Transtector reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Transtector does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Transtector does not assume any liability arising out of the use of any part or documentation.

3 2250-461-2 REV 1.0 | © 2019 Transtector, Inc., All Rights Reserved.