

Branch Breaker, 2-Pole 120/240V, 20A, Field-Configurable for Power/Fiber Cabinets

3750-302-220

Branch Breaker, 2-Pole 120/240V, 20A, Field-Configurable for Power/Fiber Cabinets



Features

- Branch Breakers for SC-3MM100 Series 5G Power + Fiber Cabinets
- Field-configurable
- UL 489 Listed

Applications

- 5G Nodes
- Small Cells
- Pico Cells
- Micro Cells
- Macro Cells
- DAS Systems

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Service Voltage		240/120		Vac
Branch Breaker Rating		20A		A
Breaker Type		Field-configurable		

Mechanical Specifications

Size

Outer Height	3.66in	[92.96 mm]
Outer Width	2.9 in	[73.66 mm]
Outer Depth	1.04 in	[26.42mm]
Weight	0.5 lbs	[226.8 g]

Installation

Service Wiring Terminals	Compression Lug #4 AWG to #18 AWG
--------------------------	--------------------------------------

Environmental Specifications

Temperature (Operating Range)	-20 to +65 deg C
-------------------------------	------------------

Compliance Certifications

UL Listed	UL 489
-----------	--------

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications:
[Branch Breaker, 2-Pole 120/240V, 20A, Field-Configurable for Power/Fiber Cabinets 3750-302-220](#)

Branch Breaker, 2-Pole 120/240V, 20A, Field-Configurable for Power/Fiber Cabinets

3750-302-220

Branch Breaker, 2-Pole 120/240V, 20A, Field-Configurable for Power/Fiber Cabinets



Transtector Systems specializes in protection of highly sensitive, low voltage equipment through its patented, non-degrading silicon diode technology and custom filters. Our power quality expertise translates into a diverse product offering including AC, DC, and signal applications as well as integrated cabinets, power distribution panels and EMP hardened devices.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Branch Breaker, 2-Pole 120/240V, 20A, Field-Configurable for Power/Fiber Cabinets 3750-302-220](#)

URL: <https://www.transtector.com/electrical-cabinet-small-cell-breaker-split-phase-3750-302-220-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Transtector reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Transtector does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Transtector does not assume any liability arising out of the use of any part or documentation.

3750-302-220 CAD Drawing

