

30x24x11 UL Listed Fiberglass Reinf Polyester FRP Weatherproof Outdoor IP66 NEMA 4 Enclosure, Kit Bundled w/ Blank Aluminum Mount Plate Gray



TEF302411-KIT

Features

- UL® Listed Molded Fiberglass Reinforced Polyester (FRP) industrial enclosure
- 6 Stainless steel quick release latches with padlock hasps
- NEMA Type 4 / IP66 rated*
- Fully gasketed lid & integral mounting flange
- Includes blank aluminum mounting plate (uninstalled & kitted with the enclosure)

Applications

- Electrical junction box
- Indoor and outdoor installations
- Remote Wireless LAN WiFi equipment installations
- Corrosive environments & hotspot applications
- Protection of equipment from theft or damage

Description

The TEF302411-KIT enclosure is a rugged, roomy, weatherproof, enclosure that is ideal for both indoor and outdoor applications. Constructed from molded fiberglass, it is designed for use as an electrical junction box in high temperature or corrosive environments providing protection for equipment and operators from indirect electrical contact. The integrated mounting flange allows it to be mounted directly to any flat wall surface provided proper screws are used into secure studs. The fully gasketed lid features a stainless steel continuous hinge and (6X) stainless steel quick release latches with padlock hasps, (2X) on each of the non-hinge sides of the lid. The enclosure material is UV stabilized and comes in machine tool gray.

This kit is ideal for custom applications, which may require special modifications to the enclosure and mounting plate.

Mounting Plate

The 0.08 inch thick blank aluminum mounting plate included with the TEF302411-KIT comes uninstalled and kitted with the enclosure so that you can modify or install as needed.

The TEF302411-KIT comes with a UL Listing Mark in every enclosure. Ideal for all construction sites and equipment enclosure applications.

*Note: Any holes or openings you might introduce must be properly sealed to maintain NEMA Type 4 / IP66 rating

Size

Outer Height	31.47 in	[799.34 mm]
Outer Width	25.47 in	[646.94 mm]
Outer Depth	11.02 in	[279.91 mm]
Inner Height	30 in	[762 mm]
Inner Width	24 in	[609.6 mm]
Inner Depth	10.59 in	[268.99 mm]
Weight	35 lbs	[15.88 kg]
Enclosure Material	Fiberglass Reinforced Polyester (FRP)	

Environmental Specifications

Temperature Rating	-50 to +150 deg C
NEMA Rating	4

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications:
[30x24x11 UL Listed Fiberglass Reinf Polyester FRP Weatherproof Outdoor IP66 NEMA 4 Enclosure, Kit Bundled w/ Blank Aluminum Mount Plate Gray](#)
[TEF302411-KIT](#)

30x24x11 UL Listed Fiberglass Reinf Polyester FRP Weatherproof Outdoor IP66 NEMA 4 Enclosure, Kit Bundled w/ Blank Aluminum Mount Plate Gray



TEF302411-KIT

Ingress Protection (IP) Rating

IP66

Compliance Certifications

UL Listed

E211451

Transtector Systems specializes in protection of highly sensitive, low voltage equipment through its patented, non-degrading silicon diode technology and custom filters. Our power quality expertise translates into a diverse product offering including AC, DC, and signal applications as well as integrated cabinets, power distribution panels and EMP hardened devices.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [30x24x11 UL Listed Fiberglass Reinf Polyester FRP Weatherproof Outdoor IP66 NEMA 4 Enclosure, Kit Bundled w/ Blank Aluminum Mount Plate Gray TEF302411-KIT](#)

URL: <https://www.transtector.com/30x24x11-ul-listed-fiberglass-polyester-frp-weatherproof-tef302411-kit-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Transtector reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Transtector does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Transtector does not assume any liability arising out of the use of any part or documentation.

30x24x11 UL Listed Fiberglass Reinforced Polyester FRP Weatherproof Outdoor
IP66 NEMA 4 Enclosure, Kit Bundled w/ Blank Aluminum Mount Plate Gray

TEF302411-KIT CAD Drawing

